

~~FAX RECEIVED~~ FIRM

~~AUG 29 2003~~
~~TECHNOLOGY CENTER 2800~~

FAX RECEIVED

SEP 02 2003

001

TECHNOLOGY CENTER 2800

ZARLEY LAW FIRM P.L.C.
Capital Square
400 L. east Street, Suite 200
Des Moines, IA 50309-2350

~~Facsimile Transmittal~~

703-746-3464

To: EXAMINER MICHAEL
CYGAN

GROUP 2855

URGENT

From: DONALD H. ZARLEY

Date: September 2, 2003

515-558-0200 Telephone

515-558-7790 Facsimile

Pages: 12

☒ Urgent

☐ For Review

☐ Please Comment

☐ Please Reply

☐ Please Recycle

TO: EXAMINER CYGAN:

PURSUANT TO YOUR TELEPHONE CALL TODAY, ATTACHED IS THE RESPONSE
WE FILED ON JUNE 2, 2003 IN US SERIAL NO. 09/819,943.

DONALD ZARLEY

DOCUMENTS ACCOMPANYING THIS FACSIMILE TRANSMITTAL COVER SHEET
CONTAIN INFORMATION FROM THE ZARLEY LAW FIRM, P.L.C., WHICH MAY BE
CONFIDENTIAL AND/OR LEGALLY PRIVILEGED. THE DOCUMENTS ARE INTENDED
ONLY FOR THE PERSONAL AND CONFIDENTIAL USE OF THE ADDRESSEE
IDENTIFIED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT OR AN AGENT
RESPONSIBLE FOR DELIVERING THESE DOCUMENTS TO THE INTENDED
RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY REVIEW, DISCLOSURE,
COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE
CONTENTS OF THIS TRANSMITTED INFORMATION IS STRICTLY PROHIBITED. IF
YOU HAVE RECEIVED THIS FACSIMILE IN ERROR, PLEASE IMMEDIATELY
NOTIFY THIS FIRM SO THAT WE CAN ARRANGE FOR THE RETURN OF THE
ORIGINAL DOCUMENTS TO US. THANK YOU.

Date: June 2, 2003

Attorney Docket No. P06485US0

INVENTOR:
TITLE:

Charles D. Snelling et al.
APPARATUS FOR DETECTING THE INTERNAL
LIQUID LEVEL IN A VESSEL

SN:

09/819,943

FILED:

March 28, 2001

GROUP ART UNIT:

2855

CONF. NO.:

2958

EXAMINER:

Michael T. Cygan



Please acknowledge receipt of the following:

Notification of Non-Compliance with the Requirements of 37 CFR 1.192 (c)
(in triplicate) consisting of 11 pages with a certificate of mailing on the first
page; and
Appendix A consisting of 8 pages (in triplicate)

DHZ/JJL/bjs

FAX RECEIVED
SEP 02 2003
TECHNOLOGY CENTER 2800

MAX RECEIVED

002

SEP 02 2003

TECHNOLOGY CENTER 2800

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT : Charles D. Snelling et al.
SERIAL NO. : 09/819,943
FILED : March 28, 2001
TITLE : APPARATUS FOR DETECTING THE INTERNAL LIQUID
LEVEL IN A VESSEL
Group/A.U. : 2855
Examiner : Michael T. CYGAN
Conf. No. : 2958
Docket No. : P06485US0

Mail Stop Non-Fee Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

NOTIFICATION OF NON-COMPLIANCE WITH THE REQUIREMENTS
OF 37 CFR 1.192(c)

Dear Sir:

In response to the Examiner's notification dated May 29, 2003, enclosed are copies of Appendix A, in triplicate, of the appealed claims 1-3 and 9-17 (excluding claims 5-8).

If any issues remain that may be expeditiously addressed in a telephone interview, the Examiner is encouraged to

CERTIFICATE OF MAILING (37 C.F.R. § 1.8(A))


I hereby certify that this document and the documents referred to as enclose therein are being deposited with the United States Postal Service as First Class mail addressed to: Mail Stop Non-Fee Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 2nd day of June, 2003.

Donald H. Zarley

P06485US0

telephone the undersigned at 515/558-0200.

Respectfully submitted,



Donald H. Zarley

Reg. No. 45,253

ZARLEY LAW FIRM, P.L.C

Capital Square

400 Locust Street, Suite 200

Des Moines, IA 50309-2350

Phone No. (515) 558-0200

Fax No. (515) 558-7790

Customer No. 34082

Attorneys of Record

-DHZ/JJL/bjs -